


# INDEX



**alluvius**  
CONCRETE PERSONIFIED

## ARCHITECTURAL DRAWINGS

- 1 TYPICAL 45° CANT COVE DETAIL
- 2 TYPICAL SPOON COVE DETAIL
- 3 TYPICAL ROLLED RADIUS COVE DETAIL
- 4 TYPICAL COVE DETAIL FOR FLUSH TRANSITION WITH WALL PANEL
- 5 TYPICAL COVE DETAIL FOR FLUSH TRANSITION TILE
- 6 TYPICAL EXPANSION & ISOLATION JOINT TREATMENT & FLOOR TERMINATION
- 7 TYPICAL EXPANSION/ISOLATION JOINT TREATMENT AT WALL/FLOOR INTERFACE FOR SELF LEVELLING AND MORTARS
- 8 TYPICAL COVE BASE WITH CAP DETAIL AND REINFORCEMENT
- 9 TYPICAL COVE BASE WITH EPOXY FILL AND REINFORCEMENTS
- 10 TYPICAL FLOOR DRAIN DETAIL WITHOUT SEALANT
- 11 TYPICAL FLOOR DRAIN DETAIL WITH SEALANT
- 12 TYPICAL ROD OR PIPE INSERTION INTO FLOOR
- 13 TYPICAL TERMINATION DETAIL FOR SELF-LEVELLING AND MORTAR FLOORING SYSTEMS
- 14 TYPICAL TERMINATION DETAIL FOR MORTAR AT NOSE ANGLE IRON AT LOADING DOCK OR BUILDING JOINT
- 15 TYPICAL TERMINATION DETAIL AT NOSE ANGLE IRON AT STAIR TREAD OR BUILDING JOINT
- 16 TYPICAL CONTROL JOINT WITH NO MOVEMENT
- 17 TYPICAL CONTROL JOINT WITH MOVEMENT
- 18 TYPICAL EXPANSION/ISOLATION JOINT TREATMENT
- 19 TYPICAL TREATMENT FOR NON-MOVING CRACKS
- 20 TYPICAL TREATMENT FOR MOVING CRACKS
- 21 TYPICAL TREATMENT FOR BRIDGING MULTIPLE NON-MOVING HAIRLINE CRACKS
- 22 TYPICAL TRANSITION DETAIL




*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



WWW.ALLUVIUS.COM.AU

TYPICAL 45° CANT COVE DETAIL

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	



**COVE HEIGHT**  
(AS SPECIFIED)

**SPOON COVE**

**ALLUVIUS POLYMERIC FLOORING SYSTEM**


*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



[WWW.ALLUVIUS.COM.AU](http://WWW.ALLUVIUS.COM.AU)

**TYPICAL SPOON COVE DETAIL**

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	




*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



[WWW.ALLUVIUS.COM.AU](http://WWW.ALLUVIUS.COM.AU)

**TYPICAL ROLLED RADIUS COVE DETAIL**

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	



**COVE HEIGHT**  
(AS SPECIFIED)


*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



[WWW.ALLUVIUS.COM.AU](http://WWW.ALLUVIUS.COM.AU)

**TYPICAL COVE DETAIL  
FOR FLUSH TRANSITION  
WITH WALL PANEL**

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	



**COVE HEIGHT**  
(AS SPECIFIED)


*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



[WWW.ALLUVIUS.COM.AU](http://WWW.ALLUVIUS.COM.AU)

**TYPICAL COVE DETAIL  
FOR FLUSH TRANSITION TILE**

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	




*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



WWW.ALLUVIUS.COM.AU

**TYPICAL EXPANSION & ISOLATION JOINT TREATMENT & FLOOR TERMINATION**

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	



*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*




WWW.ALLUVIUS.COM.AU

**TYPICAL EXPANSION/ISOLATION JOINT TREATMENT AT WALL/FLOOR INTERFACE FOR SELF LEVELLING AND MORTAR SYSTEMS WITH COVE**

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	






*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



[WWW.ALLUVIUS.COM.AU](http://WWW.ALLUVIUS.COM.AU)

**TYPICAL COVE BASE WITH CAP DETAIL  
AND REINFORCEMENT**

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	




*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



WWW.ALLUVIUS.COM.AU

**TYPICAL COVE BASE WITH EPOXY FILL AND REINFORCEMENTS**

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	




*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



WWW.ALLUVIUS.COM.AU

### TYPICAL FLOOR DRAIN DETAIL WITHOUT SEALANT

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	




*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



[WWW.ALLUVIUS.COM.AU](http://WWW.ALLUVIUS.COM.AU)

**TYPICAL FLOOR DRAIN DETAIL WITH SEALANT**

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	




*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



[WWW.ALLUVIUS.COM.AU](http://WWW.ALLUVIUS.COM.AU)

**TYPICAL ROD OR PIPE INSERTION INTO FLOOR**

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	




*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



WWW.ALLUVIUS.COM.AU

**TYPICAL TERMINATION DETAIL  
FOR SELF-LEVELLING AND  
MORTAR FLOORING SYSTEMS**

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	



*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*




WWW.ALLUVIUS.COM.AU

**TYPICAL TERMINATION DETAIL  
FOR MORTAR AT NOSE ANGLE IRON  
AT LOADING DOCK OR BUILDING JOINT**

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	

ALLUVIUS POLYMERIC  
FLOORING SYSTEM

TREAD NOSING



EXISTING CONCRETE SUBSTRATE

THICKNESS  
(AS SPECIFIED)

*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



WWW.ALLUVIUS.COM.AU

TYPICAL TERMINATION DETAIL AT  
NOSE ANGLE IRON AT STAIR TREAD  
OR BUILDING JOINT

DATE 01/06/14

SCALE Not to scale


DRAWING REVISION NUMBER  
Original

PROJECT



ALLUVIUS POLYMERIC MATERIAL

ALLUVIUS POLYMERIC FLOORING SYSTEM



EXISTING CONCRETE SUBSTRATE


*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



WWW.ALLUVIUS.COM.AU

**TYPICAL CONTROL JOINT  
WITH NO MOVEMENT**

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	



*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



[WWW.ALLUVIUS.COM.AU](http://WWW.ALLUVIUS.COM.AU)


**TYPICAL CONTROL JOINT  
WITH MOVEMENT**

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	

BACKER ROD AND  
FLEXIBLE JOINT SEALANT

ALLUVIUS POLYMERIC  
FLOORING SYSTEM

WIDTH  
(25 mm)



EXISTING CONCRETE SUBSTRATE

EXISTING EXPANSION/  
ISOLATION JOINT MATERIAL

*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



WWW.ALLUVIUS.COM.AU

TYPICAL EXPANSION/ISOLATION  
JOINT TREATMENT

DATE 01/06/14


SCALE Not to scale

DRAWING REVISION NUMBER  
Original

PROJECT

PATCH WITH FILLER MATERIAL

ALLUVIUS POLYMERIC  
FLOORING SYSTEM



EXISTING CONCRETE SUBSTRATE


*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



WWW.ALLUVIUS.COM.AU

TYPICAL TREATMENT FOR  
NON-MOVING CRACKS

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	



*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*




WWW.ALLUVIUS.COM.AU

TYPICAL TREATMENT FOR MOVING CRACKS

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	

ALLUVIUS EP-FLX  
FLEXIBLE EPOXY PRIMER

ALLUVIUS POLYMERIC  
FLOORING SYSTEM



EXISTING CONCRETE SUBSTRATE

HAIRLINE CRACKS

*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



WWW.ALLUVIUS.COM.AU


TYPICAL TREATMENT FOR  
BRIDGING MULTIPLE  
NON-MOVING HAIRLINE CRACKS

DATE	01/06/14	SCALE	Not to scale
DRAWING REVISION NUMBER	Original	PROJECT	

DIVIDER STRIP  
(METAL OR PLASTIC)

EPOXY FLOORING

OTHER FLOORING



EXISTING CONCRETE SUBSTRATE

*These drawings are for general guidance purposes only and will not be construed as specification without further evaluation with written and signed approval from architectural and engineering specialist. Alluvius Pty Ltd is not an authorised architectural or engineering specification body.*



WWW.ALLUVIUS.COM.AU

## TYPICAL TRANSITION DETAIL

DATE 01/06/14

SCALE Not to scale

DRAWING REVISION NUMBER  
Original

PROJECT